
LunaPIX & MapX: Particle Induced X-Ray Emission – X-Ray Fluorescence (PIXE-XRF) Instruments for Lunar and Planetary Science

D. F. Blake¹, R. Henderson², T. Bristow¹, P. Sarrazin³, P. Lucey⁴, A. S. Yen⁵, E. Rampe⁶, K. Zacny⁷, K. A. Thompson⁸, M. Gailhanou⁹ and S. Webb¹⁰ ¹NASA Ames Research Center (david.blake@nasa.gov), ²Lawrence Livermore National Laboratory, ³eXaminArt LLC, ⁴Univ. Hawaii, ⁵JPL, ⁶NASA Johnson Space Center, ⁷Honeybee Robotics,

⁸SETI Institute, ⁹CNRS – Universite Paul Cezanne, ¹⁰SSRL/SLAC.

Introduction: APXS (also called PIXE-XRF) instruments have returned nearly all *in-situ* elemental information from Mars and the Earth's moon [1-3]. When compared to X-ray Fluorescence instruments such as PiXL [4], PIXE-XRF instruments do not require X-ray tubes, High Voltage Power Supplies or complex mechanical movements. Measurements are made of ~2 cm areas of regolith simply by pressing the contact plate of the instrument onto the surface to be analyzed.

PIXE-XRF instruments are listed in the payloads of four missions identified in the Planetary Science Decadal Survey [5]: Lunar Intrepid, Endurance-A, Endurance-R, and the Mars Life Explorer. **Source Requirements for LunaPIX:** ²⁴⁴Curium radioisotope sources are uniquely suited to fluorescing the elements of geological and biological interest since they emit γ -rays of 14 and 18 KeV that efficiently fluoresce 19<Z<40 and α -particles of 5.8 MeV that efficiently fluoresce fluoresce 5<Z<20 (Fig. 3).



The X-ray optical characteristics of MapX were determined by ray-tracing [6] and direct measurement on SSRL Beam Line 2-3 [7]. Elemental images have a FWHM resolution of 100 μ m at focus with a degradation to 200 μ m over a ±5 mm depth of field. This result demonstrates that rough, unprepared regolith surfaces can be imaged with minimal loss of spatial resolution.

Fabrication of ²⁴⁴Cm sources: To date, all APXS instruments have been provided to NASA from foreign countries, using ²⁴⁴Cm provided by Russia. We are working with Oak Ridge National Laboratory and Lawrence Livermore National Laboratory to develop a domestic capability to fabricate and characterize ²⁴⁴Cm sources for spaceflight. Curium will be procured from ORNL and sources will be prepared at LLNL (Fig. 5). Thin metal coatings will be evaporated onto the sources to reduce or eliminate "self-transfer," a process that can contaminate samples with Cm fragments during analysis. This will be particularly important for Endurance-A, in which astronauts will collect and return analyzed samples.

Two PIXE-XRF instruments are in development by our group: 1). *LunaPIX* utilizes a Silicon Drift Detector (SDD) to collect an elemental analysis of a 2 cm diameter area; 2). *MapX* simultaneously collects X-rays from a 2-D area of the regolith and images them onto a CCD detector.

LunaPIX: LunaPIX is a robotic arm-deployed instrument that is held on the surface or hovered just above the surface of the regolith to be analyzed (Fig. 1).




Fig. 3: Simulated spectrum of APXS basalt sample bt2, calculated using GEANT4 and a Fundamental Parameters model of LunaPIX. Red spectrum = γ -ray fluorescence, blue spectrum = α -particle fluorescence (30 mCi ²⁴⁴Cm).

LunaPIX detection and quantification limits are infamily with APXS instruments flown previously. Namely, for a 10⁴ sec. acquisition using 30 mCi ²⁴⁴Cm, detection of 10 < Z < 40 @ ~500 ppm, and quantification @ ~1500 ppm. In vacuum, C, N and O can be measured as well. Analyses are possible in 10-30 minutes with reduced accuracy. Source strength can be adjusted to suit the science objectives of a particular mission.

MapX: X-ray photons are summed into an HDF-5 data cube that contains an XRF spectrum for each x,y position on the sample. Data products include element maps and Regions of Interest (ROI) with common compositions that are identified using principal components analysis. ROI are returned along with quantifiable XRF spectra for each. Fig. 4 shows a partial dataset from a 10-minute "touch-and-go" analysis collected in a MapX prototype.

The flight prototype instruments will be transferred to LLNL for testing with these sources and a final flowdown of source requirements will be made based on the science goals and measurement objectives of a particular mission.





Fig. 1: LunaPIX Arm Unit attached to the HoneyBee Robotics robotic arm. During an analyses, a contact plate (translucent in this image) is pressed onto the regolith. An SDD and six ²⁴⁴Cm sources can be seen recessed from the contact plate.

MapX: MapX is a native full-frame elemental imager that utilizes an X-ray Micro-Pore Optic (MPO) lens to directly focus X-rays fluoresced from the sample onto an energy-discriminating Charge-Coupled Device (CCD) detector. (Fig. 2).







Fig. 5: (a). Exploded view of electroplating cell. The plating substrate is attached to the green ring. ²⁴⁴Cm is electroplated onto the substrate from a dilute solution of Cm in isopropanol. (b). Source Intensity ³/₄ view, showing the uniformity of the radioisotope deposition.

All components of LunaPIX and MapX (with the exception of the ²⁴⁴Cm sources) are being developed to TRL-6 in MatISSE and DALI programs.

Acknowledgements: This work was funded under NASA's PICASSO (#13-PICASSO13_0111), MatISSE #16-MATISE16_2-0005) and DALI (#18-DALI18_2-0006) programs to DFB.

References: [1] Rieder et al., (1997) https://doi: <u>10.1126/science.278.5344.1771</u> [2] Rieder et al., (2003) <u>https://doi.org/10.1029/2003JE002150</u>. [3] Campbell et al., (2012) <u>https://doi.org/10.1007/s11214-012-9873-5</u> [4] Allwood et al. (2020) <u>https://doi.org/10.1007/s11214-020-</u> 00767 7 [5] Nat Acad of Sci. Eng. and Med. (2022)



containing basalt (bas), orthopyroxene (opx), clinopyroxene (cpx) and chrome spinel (csp). Optical image (1 cm scale bar), 3-color *FeCaCr* map, and ROI 1-4 chosen from the HDF-5 data cube by a machine learning algorithm. Returned spectra are from the 3 identified minerals plus basalt. 10-minute analysis.

